

We also find that subsidized meals at school or day care are beneficial for children's weight status, and we argue that expanding access to subsidized meals may be the most effective tool to use in combating obesity in poor children. - Kimbro & Rigby, 2010

There is a large body of research on the strong links between school breakfast consumption and favorable dietary, health, and educational outcomes among children and adolescents.

School breakfast participation improves children's dietary intake.

- School breakfast participants are more likely to consume diets that are adequate or exceed standards for important vitamins and minerals (e.g., vitamin C, vitamin A, calcium, phosphorous).^{1,2,3}
- Children and adolescents who skip breakfast tend to have poorer nutrient intakes than those who eat breakfast.^{4,5,6} Eating breakfast regularly has been linked with greater intake of fiber, calcium, iron, vitamin C, and other vitamins and minerals, and lower intake of fat, cholesterol, and sodium.^{7,8}
- Children who participate in school breakfast are more likely to consume fruit and milk at breakfast.⁹
- **Low-income children who eat school breakfast have better overall diet quality than those who eat breakfast elsewhere or skip breakfast.**¹⁰ An improvement in dietary quality also may extend to the family members of children with access to the program.¹¹

School breakfast decreases the risk of food insecurity.

- School breakfast offered to all students for free* may eliminate disparities between food secure and food insecure children in terms of eating breakfast at all.¹²
- Students with improved nutrient intake as a result of a program of school breakfast offered free to all students report decreases in symptoms of hunger.¹³
- Access to school breakfast decreases the risk of marginal food insecurity and breakfast skipping, especially for low-income children.^{14,15}
- Children are more vulnerable to food insecurity during the summer – a time when many do not have access to the good nutrition provided by the regular year school meal programs.¹⁶

School breakfast **may protect against childhood obesity.**

- **School breakfast participation is associated with a lower body mass index** (BMI, an indicator of excess body fat), lower probability of overweight, and lower probability of obesity.^{17,18}
- Food insecure girls participating in the school lunch, school breakfast, or Supplemental Nutrition Assistance (SNAP, or food stamps) programs (or all three programs combined) have a lower risk of overweight compared to food insecure girls from non-participating households.¹⁹
- Participation in federally-funded meals in child care, preschool, school, or summer settings is associated with a lower BMI among young, low-income children.²⁰
- Children and adolescents who eat breakfast have more favorable weight-related outcomes (e.g., lower BMI, lower waist circumference, lesser likelihood of being chronically obese) in the short term and long term than those who skip breakfast.^{21,22,23,24,25,26,27}

* Offering breakfast to all students for free is sometimes referred to as "universal breakfast" or "universal-free breakfast." The program helps remove the stigma for low-income children of participation in school breakfast and thereby increases participation among students generally, but particularly low-income students.

- **Increasing participation in the federal nutrition programs – including school breakfast – is a childhood obesity prevention strategy recommended by two recent Institute of Medicine (IOM) committees and the White House Task Force on Childhood Obesity.**^{28,29,30}

School breakfast participation protects against other negative health outcomes.

- Breakfast skipping among children and adolescents is associated with a number of poor health outcomes and health-compromising behaviors, including higher blood cholesterol and insulin levels, smoking, alcohol use, physical inactivity, disordered eating, and unhealthy weight management practices.^{31,32,33,34}
- School breakfast, including breakfast offered free to all students, has been linked with fewer visits to the school nurse, particularly in the morning.³⁵
- School breakfast participation, especially breakfast offered free to all students, positively impacts children's mental health, including reductions in behavioral problems, anxiety, and depression.^{36,37}
- Food insecurity is associated with some of the most costly health problems in the U.S., including diabetes, heart disease, and depression.^{38,39,40,41} Children experiencing hunger are more likely to experience lower physical functioning, more frequent stomachaches and headaches, and mental health problems (e.g., depression and anxiety), and to be in poorer health.^{42,43,44,45}

School breakfast helps improve children's academic performance, whereas skipping breakfast and experiencing hunger impair development and learning.[†]

- Students who participate in school breakfast show improved attendance, behavior, and academic performance as well as decreased tardiness.⁴⁶
- Participating in school breakfast is associated with improved math grades, attendance, and punctuality.⁴⁷
- Children who are undernourished have poorer cognitive functioning when they miss breakfast.⁴⁸
- Behavioral, emotional, and academic problems are more prevalent among children with hunger.⁴⁹
- Children experiencing hunger have lower math scores and are more likely to repeat a grade.⁵⁰

Breakfast in the classroom programs[‡] and programs offering breakfast free to all children in the cafeteria yield other positive results for health and learning.

- Programs offering breakfast free to all students and breakfast in the classroom boost student breakfast participation.^{51,52,53}
- Students attending schools that offer a breakfast free to all students are more likely to consume a nutritionally substantive breakfast and to consume significantly more calcium, magnesium, phosphorus, fruit, and dairy products at breakfast, when compared to students from schools with a traditional means-tested school breakfast in the cafeteria program.⁵⁴
- Children who increase their school breakfast participation as a result of a school breakfast program offered free to all students show improvements in math scores, attendance, punctuality, depression, anxiety, and hyperactivity.⁵⁵

This brief was prepared by the Food Research and Action Center (FRAC): Heather Hartline-Grafton, DrPH, RD, Senior Nutrition Policy Analyst, with assistance from Madeleine Levin, MPH, Senior Policy Analyst and Lucienne Cross, Summer Intern.

[†] For more information, read FRAC's *Breakfast for Learning* brief available at www.frac.org.

[‡] Breakfast in the classroom programs are an increasingly popular alternative to traditional before-the-bell, cafeteria-based breakfast programs. Breakfast is brought in from the kitchen in containers that keep dishes at the right temperature, or picked up from carts in the hallways as students enter class. Typically this breakfast is offered free to all students. Such programs boost school breakfast participation and remove the stigma associated with participation.

Endnotes

- ¹ Bhattacharya, J., Currie, J., & Haider, S. J. (2006). Breakfast of champions? The School Breakfast Program and the nutrition of children and families. *Journal of Human Resources*, 41(3), 445-466.
- ² Clark, M. A. & Fox, M. K. (2009). Nutritional quality of the diets of U.S. public school children and the role of the school meal programs. *Journal of the American Dietetic Association*, 109(2 Supplement 1), S44-S56.
- ³ Gleason, P. & Sutor, C. (2001). Children's diets in the mid-1990s: dietary intake and its relationship with school meal participation. *Special Nutrition Programs*, CN-01-CD1. Alexandria, VA: U.S. Department of Agriculture, Food and Nutrition Service, Office of Analysis, Nutrition and Evaluation.
- ⁴ Deshmukh-Taskar, P. R., Nicklas, T. A., O'Neil, C. E., Keast, D. R., Radcliffe, J. D., & Cho, S. (2010). The relationship of breakfast skipping and type of breakfast consumption with nutrient intake and weight status in children and adolescents: the National Health and Nutrition Examination Survey 1999-2006. *Journal of the American Dietetic Association*, 110(6), 869-878.
- ⁵ Kerver, J. M., Yang, E. J., Obayashi, S., Bianchi, L., & Song, W. O. (2006). Meal and snack patterns are associated with dietary intake of energy and nutrients in US adults. *Journal of the American Dietetic Association*, 106(1), 46-53.
- ⁶ Rampersaud, G. C., Pereira, M. A., Girard, B. L., Adams, J., & Metz, J. D. (2005). Breakfast habits, nutritional status, body weight, and academic performance in children and adolescents. *Journal of the American Dietetic Association*, 105(5), 743-760.
- ⁷ Affenito, S. G., Thompson, D. R., Barton, B. A., Franko, D. L., Daniels, S. R., Obarzanek, E., Schreiber, G. B., & Striegel-Moore, R. H. (2005). Breakfast consumption by African-American and white adolescent girls correlates positively with calcium and fiber intake and negatively with body mass index. *Journal of the American Dietetic Association*, 105(6), 938-945.
- ⁸ Kerver et al., 2006.
- ⁹ Condon, E. M., Crepinsek, M. K., & Fox, M. K. (2009). School meals: types of foods offered to and consumed by children at lunch and breakfast. *Journal of the American Dietetic Association*, 109(2 Supplement 1), S67-S78.
- ¹⁰ Basiotis, P. P., Lino, M., & Anand, R. S. (1999). Eating breakfast greatly improves schoolchildren's diet quality. *Nutrition Insight*, 15. Alexandria, VA: U.S. Department of Agriculture, Center for Nutrition Policy and Promotion.
- ¹¹ Bhattacharya et al., 2006.
- ¹² Khan, S., Pinckney, R. G., Keeney, D., Frankowski, B., & Carney, J. K. (2009). Prevalence of food insecurity and utilization of food assistance program: an exploratory survey of a Vermont middle school. *Journal of School Health*, 81(1), 15-20.
- ¹³ Kleinman, R. E., Hall, S., Green, H., Korzec-Ramirez, D., Patton, K., Pagano, M. E., & Murphy, J. M. (2002). Diet, breakfast, and academic performance in children. *Annals of Nutrition and Metabolism*, 46(Supplement 1), 24-30.
- ¹⁴ Bartfeld, J., Kim, M., Ryu, J. H., & Ahn, H. (2009). The School Breakfast Program participation and impacts. *Contractor and Cooperator Report*, 54. Washington, DC: U.S. Department of Agriculture.
- ¹⁵ Bartfeld, J. S. & Ahn, H. M. (2011). The School Breakfast Program strengthens household food security among low-income households with elementary school children. *Journal of Nutrition*, 141(3), 470-475.
- ¹⁶ Nord, M. & Romig, K. (2006). Hunger in the summer: seasonal food insecurity and the National School Lunch and Summer Food Service programs. *Journal of Children and Poverty*, 12(2), 141-158.
- ¹⁷ Gleason, P. M. & Dodd, A. H. (2009). School breakfast program but not school lunch program participation is associated with lower body mass index. *Journal of the American Dietetic Association*, 109(2 Supplement 1), S118-S128.
- ¹⁸ Millimet, D. L., Tchernis, R., & Husain, M. (2009). School nutrition programs and the incidence of childhood obesity. *Journal of Human Resources*, 45(3), 640-654.
- ¹⁹ Jones, S. J., Jahns, L., Laraia, B. A., & Haughton, B. (2003). Lower risk of overweight in school-aged food insecure girls who participate in food assistance: results from the Panel Study of Income Dynamics Child Development Supplement. *Archives of Pediatric and Adolescent Medicine*, 157(8), 780-784.
- ²⁰ Kimbro, R. T. & Rigby, E. (2010). Federal food policy and childhood obesity: a solution or part of the problem? *Health Affairs*, 29(3), 411-418.
- ²¹ Alexander, K. E., Ventura, E. E., Spruijt-Metz, D., Weigensberg, M. J., Goran, M. I., & Davis, J. N. (2009). Association of breakfast skipping with visceral fat and insulin indices in overweight Latino youth. *Obesity*, 17(8), 1528-1533.
- ²² Barton, B. A., Elderidge, A. L., Thompson, D., Affenito, S. G., Striegel-Moore, R. H., Franko, D. L., Albertson, A. M., & Crockett, S. J. (2005). The relationship of breakfast and cereal consumption to nutrient intake and body mass index: the National Heart, Lung, and Blood Institute Growth and Health Study. *Journal of the American Dietetic Association*, 105(9), 1383-1389.
- ²³ Deshmukh-Taskar et al., 2010.
- ²⁴ Fiore, H., Travis, S., Whalen, A., Auinger, P., & Ryan, S. (2006). Potentially protective factors associated with healthful body mass index in adolescents with obese and nonobese parents: a secondary data analysis of the third national health and nutrition examination survey, 1988-1994. *Journal of the American Dietetic Association*, 106(1), 55-64.
- ²⁵ Merten, M. J., Williams, A. L., & Shriver, L. H. (2009). Breakfast consumption in adolescence and young adulthood: parental presence, community context, and obesity. *Journal of the American Dietetic Association*, 109(8), 1384-1391.
- ²⁶ Niemeier, H. M., Raynor, H. A., Lloyd-Richardson, E. E., Rogers, M. L., & Wing, R. R. (2006). Fast food consumption and breakfast skipping: predictors of weight gain from adolescence to adulthood in a nationally representative sample. *Journal of Adolescent Health*, 39(6), 842-849.
- ²⁷ Timlin, M. T., Pereira, M. A., Story, M., & Neumark-Sztainer, D. (2008). Breakfast eating and weight change in a 5-year prospective analysis of adolescents: Project EAT (Eating Among Teens). *Pediatrics*, 121(3):e638-645.
- ²⁸ Institute of Medicine. (2009). *Local Government Actions to Prevent Childhood Obesity*. Washington, DC: The National Academies Press.
- ²⁹ Institute of Medicine. (2011). *Early Childhood Obesity Prevention Policies*. Washington, DC: The National Academies Press.
- ³⁰ White House Task Force on Childhood Obesity. (2010). *Solving the Problem of Childhood Obesity within a Generation*. Available at: http://www.letsmove.gov/sites/letsmove.gov/files/TaskForce_on_Childhood_Obesity_May2010_FullReport.pdf. Accessed on August 18, 2011.

-
- ³¹ Cohen, B., Evers, S., Manske, S., Bercovitz, K., & Edward, H. G. (2003). Smoking, physical activity and breakfast consumption among secondary school students in a southwestern Ontario community. *Canadian Journal of Public Health*, 94(1), 41-44.
- ³² Keski-Rahkonen, A., Kaprio, J., Rissanen, A., Virkkunen, M., & Rose, R. J. (2003). Breakfast skipping and health-compromising behaviors in adolescents and adults. *European Journal of Clinical Nutrition*, 57(7), 842-853.
- ³³ Smith, K. J., Gall, S. L., McNaughton, S. A., Blizzard, L., Dwyer, T., & Venn, A. J. (2010). Skipping breakfast: longitudinal associations with cardiometabolic risk factors in the Childhood Determinants of Adult Health Study. *American Journal of Clinical Nutrition*, 92(6), 1316-1325.
- ³⁴ Zullig, K., Ubbes, V. A., Pyle, J., & Valois, R. F. (2006). Self-reported weight perceptions, dieting behavior, and breakfast eating among high school adolescents. *Journal of School Health*, 76(3), 87-92.
- ³⁵ Bernstein, L. S., McLaughlin, J. E., Crepinsek, M. K., & Daft, L. M. (2004). Evaluation of the School Breakfast Program Pilot Project: final report. *Nutrition Assistance Program Report Series*, CN-04-SBP. Alexandria, VA: U.S. Department of Agriculture, Food and Nutrition Service, Office of Analysis, Nutrition, and Evaluation. (The findings on school nurse visits were only observed for the 2001-2002 school year in this report.)
- ³⁶ Kleinman et al., 2002.
- ³⁷ Murphy, J. M., Pagano, M. E., Nachmani, J., Sperling, P., Kane, S., & Kleinman, R. E. (1998). The relationship of school breakfast to psychosocial and academic functioning: cross-sectional and longitudinal observations in an inner-city school sample. *Archives of Pediatrics and Adolescent Medicine*, 152(9), 899-907.
- ³⁸ Heflin, C. M., Siefert, K., & Williams, D. R. (2005). Food insufficiency and women's mental health: Findings from a 3-year panel of welfare recipients. *Social Science and Medicine*, 61, 1971-1982.
- ³⁹ Seligman, H. K., Bindman, A. B., Vittinghoff, E., Kanaya, A. M., & Kushel, M. B. (2007). Food insecurity is associated with diabetes mellitus: Results from the National Health Examination and Nutrition Examination Survey (NHANES) 1999-2002. *Journal of General Internal Medicine*, 22(7), 1018-1023.
- ⁴⁰ Seligman, H. K., Laraia, B. A., & Kushel, M. B. (2010). Food insecurity is associated with chronic disease among low-income NHANES participants. *Journal of Nutrition*, 140(2), 304-310.
- ⁴¹ Siefert, K., Heflin, C. M., Corcoran, M. E., & Williams, D. R. (2004). Food insufficiency and physical and mental health in a longitudinal survey of welfare recipients. *Journal of Health and Social Behavior*, 45(2), 171-186.
- ⁴² Alaimo, K., Olson, C. M., Frongillo, E. A. Jr., & Briefel, R. R. (2001). Food insufficiency, family income, and health in U.S. preschool and school-aged children. *American Journal of Public Health*, 91(5), 781-786.
- ⁴³ Alaimo, K., Olson, C. M., & Frongillo, E. A. (2002). Family food insufficiency, but not low family income, is positively associated with dysthymia and suicide symptoms in adolescents. *Journal of Nutrition*, 132, 719-725.
- ⁴⁴ Casey, P. H., Szeto, K. L., Robbins, J. M., Stuff, J. E., Connell, C., Gossett, J. M., & Simpson, P. M. (2005). Child health-related quality of life and household food security. *Archives of Pediatrics and Adolescent Medicine*, 159(1), 51-56.
- ⁴⁵ Weinreb, L., Wehler, C., Perloff, J., Scott, R., Hosmer, D., Sagor, L., & Gundersen, C. (2002). Hunger: its impact on children's health and mental health. *Pediatrics*, 110, e41.
- ⁴⁶ Murphy, J. M. (2007). Breakfast and learning: an updated review. *Journal of Current Nutrition and Food Science*, 1, 3-36.
- ⁴⁷ Murphy et al., 1998.
- ⁴⁸ Taras, H. (2005). Nutrition and student performance at school. *Journal of School Health*, 75(6), 199-213.
- ⁴⁹ Kleinman, R. E., Murphy, J. M., Little, M., Pagano, M., Wehler, C. A., Regal, K., & Jellinek, M. S. (1998). Hunger in children in the United States: potential behavioral and emotional correlates. *Pediatrics*, 101(1), E3.
- ⁵⁰ Alaimo, K., Olson, C. M., Frongillo, E. A., Jr. (2001). Food insufficiency and American school-aged children's cognitive, academic and psychosocial development. *Pediatrics*, 108(1), 44-53.
- ⁵¹ Bernstein et al., 2004.
- ⁵² Bartfeld et al., 2009.
- ⁵³ Murphy et al., 1998.
- ⁵⁴ Crepinsek, M. K., Singh, A., Bernstein, L. S., & McLaughlin, J. E. (2006). Dietary effects of universal-free school breakfast: findings from the evaluation of the school breakfast program pilot project. *Journal of the American Dietetic Association*, 106(11), 1796-1803.
- ⁵⁵ Murphy et al., 1998.